



### Volant Iron Shaft Models and Specs:

SHAFT	FLEX	LENGTH	WEIGHT	TORQUE	TIP OD	BUTT OD	PARALLEL TIP	BEND POINT
Volant FT500	F4	41"	55gr	4.6	.370"	.606"	5.1"	Low
Volant FT500	F3	41"	55gr	4.6	.370"	.606"	5.1"	Low
Volant FT500	F2	41"	55gr	4.6	.370"	.606"	5.1"	Low
Volant FT500	F1	41"	55gr	4.3	.370"	.606"	5.1"	Low
Volant FT600	F4	41"	65gr	3.2	.370"	.602"	5.1"	MidLow
Volant FT600	F3	41"	65gr	3.2	.370"	.602"	5.3"	MidLow
Volant FT600	F2	41"	65gr	3.2	.370"	.602"	5.1"	MidLow
Volant FT600	F1	41"	65gr	3.2	.370"	.602"	5.1"	MidLow

### Volant Iron Shaft Tip Trimming Instructions:

SHAFT	11*	2I*	3I*	4I*	5I*	6I*	7I*	8I*	9I*	PW*
Volant FT500	0"	0"	.0"	.5"	1.0"	1.5"	2.0"	2.5"	3.0"	3.0"
Volant FT600	0"	0"	.0"	.5"	1.0"	1.5"	2.0"	2.5"	3.0"	3.0"

\*Tip trim can be adjusted to fine tune playing characteristics.

\*Tip trim should not exceed (Parallel Tip - Hosel Depth).

\*Perform tip trim and then butt trim to final playing length.